



## Quick Release Pull Pins

[View Standard Items](#)

[Download PDF](#)

[Request Information / Quote](#)

Our "Standard" Quick Release Pull Pins are also known as spring plungers, hand retractable spring plungers or stubby spring plungers – due to their shorter body when compared to a Quarter-Turn Locking Spring Pin.

The Quick Release Pull Pin body is threaded into the application, with ring on outside surface. Pull the ring to retract spring-loaded tip and allow adjustments. Release the ring to lock Pull Pin tip into desired hole location. Chamfered tip allows for easy alignment. Spring Plungers are ideal for adjustable tubing, tooling, latches, fixtures, gates, and much more. Steel Lanyards or Nylon Lanyards may be added to the Spring Plunger ring as a low cost "pull actuator".

A high-quality imported pin provides dependable functionality at a competitive price.


Quick Release Pull Pins are stocked in low carbon steel, zinc plated. Special sizes and materials, or domestic versions, can be made in-house.

Choose a Pull Pin Made to your exact specifications.

- Special Size
- Different Material/Finish
- Special Pull Force
- More!

Ask about our NEW Auto-Lock Safety Pull Pin! The new Pull Pin features a retractable tip that lock into an extended (forward) position automatically. Conventional spring-loaded Pull Pins and hand retractable spring plungers do not lock forward, allowing unintended retraction and disengagement due to vibration, movement and irregular mating holes. Our new forward-locked design means that the tip remains in an extended, locked position until manually disengaged by pulling the ring.

**PULL PIN DEMO**



**CATEGORY BROWSE**

[Home](#) > [Pins, Cotter, Rings](#) > [Pull Pins - Standard](#)

- Home
- Pins, Cotter, Rings
- Pull Pins - Standard**

**Pull Pins - Standard**

1-4 of 4 Products



Sort by: Default

Compare

**NARROW RESULTS**

- ▼ **Nominal Pin Diameter - A [in]**

  - 1/4 (1)
  - 3/8 (1)
  - 1/2 (1)
  - 5/8 (1)
- ▼ **Thread - A [in]**

  - 1/2-13 (1)
  - 1/4-20 (1)
  - 3/8-16 (1)
  - 5/8-11 (1)
- ▼ **B [in]**

  - 0.440 (1)
  - 0.630 (1)
  - 0.810 (1)
  - 1.000 (1)
- ▼ **C [in]**

  - .280 (1)
  - .380 (1)

Product	Nominal Pin Diameter - A [in]	Thread - A [in]	B [in]	C [in]	Approximate End Force - Initial [lb]	List Price
<input type="checkbox"/> <a href="#">PULL-250X</a>	1/4	1/4-20	0.440	0.19	0.50	\$5.59
<input type="checkbox"/> <a href="#">PULL-375X</a>	3/8	3/8-16	0.630	.280	0.75	\$6.64
<input type="checkbox"/> <a href="#">PULL-500X</a>	1/2	1/2-13	0.810	.380	1.00	\$7.70
<input type="checkbox"/> <a href="#">PULL-625X</a>	5/8	5/8-11	1.000	0.44	1.25	\$8.52

0.19 (1)  
 0.44 (1)

**▼ Approximate End Force - Initial [lb]**

0.50 (1)  
 0.75 (1)  
 1.00 (1)  
 1.25 (1)

**▼ List Price**

\$5.59 (1)  
 \$6.64 (1)  
 \$7.70 (1)  
 \$8.52 (1)

## CONTACT US

Pivot Point Inc.  
 761 Industrial Lane  
 PO BOX 488  
 Hustisford, WI 53034  
 Toll Free (800) 222-2231  
 Ph (920) 349-3251  
 Fax (920) 349-3253

## INDUSTRIES SERVED

Military & Defense  
 Aerospace  
 Agricultural  
 Machine building  
 Automation  
 Transportation  
 Material Handling  
 Medical  
 Consumer Products  
 & MORE!

## DISTRIBUTORS

For AUS/NZ, UK, France,  
 Spain, Belgium &  
 Germany customers



WE ARE SEEKING ADDITIONAL  
 WORLDWIDE DISTRIBUTORS

## GET SOCIAL

